ELSEVIER

Hearing Research 138 (1999) 202

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 138

Bagger-Sjöbäck, D., see Rask-Andersen, H. (138) 81
Barrenäs, M.-L., Nylén, O. and Hanson, C.
The influence of karyotype on the auricle, otitis media and hearing in Turner syndrome (138) 163
Bartlett, P.F., see Marzella, P.L. (138) 73
Bobbin, R.P., see LeBlanc, C. (138) 192

Campbell, K.C.M., Meech, R.P., Rybak, L.P. and Hughes, L.F.
D-Methionine protects against cisplatin damage to the stria vascularis (138) 13
Chen, G.-D. and Sinex, D.G.
Effects of interaural time differences on the responses of chinchilla inferior colliculus neurons to consonant-vowel syllables (138) 29
Chen, G.-D., McWilliams, M.L. and Fechter, L.D.
Intermittent noise-induced hearing loss and the influence of carbon monoxide (138) 181
Chen, L., Kelly, J.B. and Wu, S.H.
The commissure of Probst as a source of GABAergic inhibition (138) 106
Clark, G.M., see Marzella, P.L. (138) 73

DeMott, J.E., see Rask-Andersen, H. (138) 81
Durham, D., see Park, D.L. (138) 45

Fechter, L.D., see Chen, G.-D. (138) 181

Gillespie, L.N., see Marzella, P.L. (138) 73
Girod, D.A., see Park, D.L. (138) 45

Hanson, C., see Barrenäs, M.-L. (138) 163
Henley, C.M., see Li, D. (138) 65
Housley, G.D., see Muñoz, D.J.B. (138) 56
Hughes, L.F., see Campbell, K.C.M. (138) 13
Hultcrantz, M., see Stenberg, A.E. (138) 201

Jiang, Z.-G., Qiu, J., Ren, T. and Nuttall, A.L.
Membrane properties and the excitatory junction potentials in smooth muscle cells of cochlear spiral modiolar artery in guinea pigs (138) 171
Jimenez, A.M., Stagner, B.B., Martin, G.K. and Lonsbury-Martin, B.L.
Age-related loss of distortion product otoacoustic emissions in four mouse strains (138) 91

Kelly, J.B., see Chen, L. (138) 106
Kilpatrick, T.J., see Marzella, P.L. (138) 73

LeBlanc, C. and Bobbin, R.P.
An interaction between PPADS, an ATP antagonist, and a moderately intense sound in the cochlea (138) 192
Li, D., Henley, C.M. and O'Malley Jr., B.W.
Distortion product otoacoustic emissions and outer hair cell defects in the hyt/hyt mutant mouse (138) 65
Lonsbury-Martin, B.L., see Jimenez, A.M. (138) 91

Manley, G.A., Taschenberger, G. and Oeckinghaus, H.
Influence of contralateral acoustic stimulation on distortion-product and spontaneous otoacoustic emissions in the barn owl (138) 1
Martin, G.K., see Jimenez, A.M. (138) 91
Marzella, P.L., Gillespie, L.N., Clark, G.M., Bartlett, P.F. and Kilpatrick, T.J.
The neurotrophins act synergistically with LIF and members of the TGF-β superfamily to promote the survival of spiral ganglia neurons in vitro (138) 73
McWilliams, M.L., see Chen, G.-D. (138) 181
Meech, R.P., see Campbell, K.C.M. (138) 13
Muñoz, D.J.B., Thorne, P.R. and Housley, G.D.
P2X receptor-mediated changes in cochlear potentials arising from exogenous adenosine 5′-triphosphate in endolymph (138) 56

Nuttall, A.L., see Jiang, Z.-G. (138) 171
Nylén, O., see Barrenäs, M.-L. (138) 163

O'Beirne, G.A., see Patuzzi, R.B. (138) 133
O'Beirne, G.A., see Patuzzi, R.B. (138) 147
O'Beirne, G.A. and Patuzzi, R.B.
Basic properties of the sound-evoked post-auricular muscle response (PAMR) (138) 115
O'Malley Jr., B.W., see Li, D. (138) 65
Oeckinghaus, H., see Manley, G.A. (138) 1

Park, D.L., Girod, D.A. and Durham, D.
Tonotopic changes in 2-deoxyglucose activity in chick cochlear nucleus during hair cell loss and regeneration (138) 45
Patuzzi, R.B., see O'Beirne, G.A. (138) 115
Patuzzi, R.B. and O'Beirne, G.A.
Effects of eye rotation on the sound-evoked post-auricular muscle response (PAMR) (138) 133
Patuzzi, R.B. and O'Beirne, G.A.
A correlation method for detecting the sound-evoked post-auricular muscle response (PAMR) (138) 147

Qiu, J., see Jiang, Z.-G. (138) 171

Rask-Andersen, H., DeMott, J.E., Bagger-Sjöbäck, D. and Salt, A.N.
Morphological changes of the endolymphatic sac induced by microinjection of artificial endolymph into the cochlea (138) 81
Ren, T., see Jiang, Z.-G. (138) 171
Rybak, L.P., see Campbell, K.C.M. (138) 13

Sahlin, L., see Stenberg, A.E. (138) 201
Salt, A.N., see Rask-Andersen, H. (138) 81
Sinex, D.G., see Chen, G.-D. (138) 29
Stagner, B.B., see Jimenez, A.M. (138) 91
Stenberg, A.E., Wang, H., Sahlin, L. and Hultcrantz, M.
Erratum to 'Mapping of estrogen receptors α and β in the inner ear of mouse and rat'. [Hear. Res. 136 (1999) 29–34][1] (138) 201

Taschenberger, G., see Manley, G.A. (138) 1
Thorne, P.R., see Muñoz, D.J.B. (138) 56

Wang, H., see Stenberg, A.E. (138) 201
Wu, S.H., see Chen, L. (138) 106

PII: S0378-5955(99)00183-5

ELSEVIER

Hearing Research 138 (1999) 202

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 138

Bagger-Sjöbäck, D., see Rask-Andersen, H. (138) 81
Barrenäs, M.-L., Nylén, O. and Hanson, C.
The influence of karyotype on the auricle, otitis media and hearing in Turner syndrome (138) 163
Bartlett, P.F., see Marzella, P.L. (138) 73
Bobbin, R.P., see LeBlanc, C. (138) 192

Campbell, K.C.M., Meech, R.P., Rybak, L.P. and Hughes, L.F.
D-Methionine protects against cisplatin damage to the stria vascularis (138) 13
Chen, G.-D. and Sinex, D.G.
Effects of interaural time differences on the responses of chinchilla inferior colliculus neurons to consonant-vowel syllables (138) 29
Chen, G.-D., McWilliams, M.L. and Fechter, L.D.
Intermittent noise-induced hearing loss and the influence of carbon monoxide (138) 181
Chen, L., Kelly, J.B. and Wu, S.H.
The commissure of Probst as a source of GABAergic inhibition (138) 106
Clark, G.M., see Marzella, P.L. (138) 73

DeMott, J.E., see Rask-Andersen, H. (138) 81
Durham, D., see Park, D.L. (138) 45

Fechter, L.D., see Chen, G.-D. (138) 181

Gillespie, L.N., see Marzella, P.L. (138) 73
Girod, D.A., see Park, D.L. (138) 45

Hanson, C., see Barrenäs, M.-L. (138) 163
Henley, C.M., see Li, D. (138) 65
Housley, G.D., see Muñoz, D.J.B. (138) 56
Hughes, L.F., see Campbell, K.C.M. (138) 13
Hultcrantz, M., see Stenberg, A.E. (138) 201

Jiang, Z.-G., Qiu, J., Ren, T. and Nuttall, A.L.
Membrane properties and the excitatory junction potentials in smooth muscle cells of cochlear spiral modiolar artery in guinea pigs (138) 171
Jimenez, A.M., Stagner, B.B., Martin, G.K. and Lonsbury-Martin, B.L.
Age-related loss of distortion product otoacoustic emissions in four mouse strains (138) 91

Kelly, J.B., see Chen, L. (138) 106
Kilpatrick, T.J., see Marzella, P.L. (138) 73

LeBlanc, C. and Bobbin, R.P.
An interaction between PPADS, an ATP antagonist, and a moderately intense sound in the cochlea (138) 192
Li, D., Henley, C.M. and O'Malley Jr., B.W.
Distortion product otoacoustic emissions and outer hair cell defects in the hyt/hyt mutant mouse (138) 65
Lonsbury-Martin, B.L., see Jimenez, A.M. (138) 91

Manley, G.A., Taschenberger, G. and Oeckinghaus, H.
Influence of contralateral acoustic stimulation on distortion-product and spontaneous otoacoustic emissions in the barn owl (138) 1
Martin, G.K., see Jimenez, A.M. (138) 91
Marzella, P.L., Gillespie, L.N., Clark, G.M., Bartlett, P.F. and Kilpatrick, T.J.
The neurotrophins act synergistically with LIF and members of the TGF-β superfamily to promote the survival of spiral ganglia neurons in vitro (138) 73
McWilliams, M.L., see Chen, G.-D. (138) 181
Meech, R.P., see Campbell, K.C.M. (138) 13
Muñoz, D.J.B., Thorne, P.R. and Housley, G.D.
P2X receptor-mediated changes in cochlear potentials arising from exogenous adenosine 5′-triphosphate in endolymph (138) 56

Nuttall, A.L., see Jiang, Z.-G. (138) 171
Nylén, O., see Barrenäs, M.-L. (138) 163

O'Beirne, G.A., see Patuzzi, R.B. (138) 133
O'Beirne, G.A., see Patuzzi, R.B. (138) 147
O'Beirne, G.A. and Patuzzi, R.B.
Basic properties of the sound-evoked post-auricular muscle response (PAMR) (138) 115
O'Malley Jr., B.W., see Li, D. (138) 65
Oeckinghaus, H., see Manley, G.A. (138) 1

Park, D.L., Girod, D.A. and Durham, D.
Tonotopic changes in 2-deoxyglucose activity in chick cochlear nucleus during hair cell loss and regeneration (138) 45
Patuzzi, R.B., see O'Beirne, G.A. (138) 115
Patuzzi, R.B. and O'Beirne, G.A.
Effects of eye rotation on the sound-evoked post-auricular muscle response (PAMR) (138) 133
Patuzzi, R.B. and O'Beirne, G.A.
A correlation method for detecting the sound-evoked post-auricular muscle response (PAMR) (138) 147

Qiu, J., see Jiang, Z.-G. (138) 171

Rask-Andersen, H., DeMott, J.E., Bagger-Sjöbäck, D. and Salt, A.N.
Morphological changes of the endolymphatic sac induced by microinjection of artificial endolymph into the cochlea (138) 81
Ren, T., see Jiang, Z.-G. (138) 171
Rybak, L.P., see Campbell, K.C.M. (138) 13

Sahlin, L., see Stenberg, A.E. (138) 201
Salt, A.N., see Rask-Andersen, H. (138) 81
Sinex, D.G., see Chen, G.-D. (138) 29
Stagner, B.B., see Jimenez, A.M. (138) 91
Stenberg, A.E., Wang, H., Sahlin, L. and Hultcrantz, M.
Erratum to 'Mapping of estrogen receptors α and β in the inner ear of mouse and rat'. [Hear. Res. 136 (1999) 29–34][1] (138) 201

Taschenberger, G., see Manley, G.A. (138) 1
Thorne, P.R., see Muñoz, D.J.B. (138) 56

Wang, H., see Stenberg, A.E. (138) 201
Wu, S.H., see Chen, L. (138) 106

PII: S0378-5955(99)00183-5

ELSEVIER

Hearing Research 138 (1999) 203–205

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 138

Adenosine diphosphate
Adenosine triphosphate; Cochlear function; Cochlear microphonic; Endocochlear potential; Endolymph; P2 receptor agonist; P2 receptor antagonist; Uridine triphosphate (Muñoz, D.J.B. (138) 56)

Adenosine triphosphate
Adenosine diphosphate; Cochlear function; Cochlear microphonic; Endocochlear potential; Endolymph; P2 receptor agonist; P2 receptor antagonist; Uridine triphosphate (Muñoz, D.J.B. (138) 56)

Aging
Cochlea; Distortion product otoacoustic emission; Inbred mouse strain (Jimenez, A.M. (138) 91)

γ-Aminobutyric acid
Auditory brainstem; Dorsal nucleus of the lateral lemniscus; Commissure of Probst; Binaural interaction (Chen, L. (138) 106)

Auditory brainstem
Dorsal nucleus of the lateral lemniscus; Commissure of Probst; γ-Aminobutyric acid; Binaural interaction (Chen, L. (138) 106)

Auditory evoked response
Objective hearing test; Infant hearing screening (Patuzzi, R.B. (138) 147)

Auditory nerve
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid; Cochlear potential; Cochlear microphonic (LeBlanc, C. (138) 192)

Auditory neuron
Pharmacological therapy; Cytokine; Neurotrophin; Neuronal degeneration; Neurotrophic effect (Marzella, P.L. (138) 73)

Auditory-evoked potential
Objective neonatal screening test; Objective audiogram; Pinna movement (O'Beirne, G.A. (138) 115)

Barn owl
DPOAE; Otoacoustic emission; Contralateral acoustic stimulation; Bird; Efferent system (Manley, G.A. (138) 1)

Binaural interaction
Auditory brainstem; Dorsal nucleus of the lateral lemniscus; Commissure of Probst; γ-Aminobutyric acid (Chen, L. (138) 106)

Bird
DPOAE; Otoacoustic emission; Contralateral acoustic stimulation; Barn owl; Efferent system (Manley, G.A. (138) 1)

Carbon monoxide
Intermittent noise; Noise-induced hearing loss; Compound action potential; Surface preparation; Rat (Chen, G.-D. (138) 181)

Chinchilla
Interaural time difference; Consonant-vowel syllable; Inferior colliculus; Single unit (Chen, G.-D. (138) 29)

Cisplatin
D-Methionine; Stria vascularis; Ototoxicity; Semi-quantitative analysis (Campbell, K.C.M. (138) 13)

Cochlea
Spiral modiolar artery; Smooth muscle cells; Membrane potential; Excitatory junction potential; α-receptor (Jiang, Z.-G. (138) 171)

Aging; Distortion product otoacoustic emission; Inbred mouse strain (Jimenez, A.M. (138) 91)

Cochlear function
Adenosine triphosphate; Adenosine diphosphate; Cochlear microphonic; Endocochlear potential; Endolymph; P2 receptor agonist; P2 receptor antagonist; Uridine triphosphate (Muñoz, D.J.B. (138) 56)

Cochlear microphonic
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid; Cochlear potential; Auditory nerve (LeBlanc, C. (138) 192)

Adenosine triphosphate; Adenosine diphosphate; Cochlear function; Endocochlear potential; Endolymph; P2 receptor agonist; P2 receptor antagonist; Uridine triphosphate (Muñoz, D.J.B. (138) 56)

Cochlear potential
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid; Cochlear microphonic; Auditory nerve (LeBlanc, C. (138) 192)

Commissure of Probst
Auditory brainstem; Dorsal nucleus of the lateral lemniscus; γ-Aminobutyric acid; Binaural interaction (Chen, L. (138) 106)

Compound action potential
Intermittent noise; Noise-induced hearing loss; Carbon monoxide; Surface preparation; Rat (Chen, G.-D. (138) 181)

Consonant-vowel syllable
Interaural time difference; Inferior colliculus; Single unit; Chinchilla (Chen, G.-D. (138) 29)

Contralateral acoustic stimulation
DPOAE; Otoacoustic emission; Barn owl; Bird; Efferent system (Manley, G.A. (138) 1)

PII: S0378-5955(99)00184-7

Cytokine
Auditory neuron; Pharmacological therapy; Neurotrophin; Neuronal degeneration; Neurotrophic effect (Marzella, P.L. (138) 73)

Distortion product otoacoustic emission
Hyt/hyt; Hypothyroidism; Outer hair cell (Li, D. (138) 65)

Cochlea; Aging; Inbred mouse strain (Jimenez, A.M. (138) 91)

Dorsal nucleus of the lateral lemniscus
Auditory brainstem; Commissure of Probst; γ-Aminobutyric acid; Binaural interaction (Chen, L. (138) 106)

DPOAE
Otoacoustic emission; Contralateral acoustic stimulation; Barn owl; Bird; Efferent system (Manley, G.A. (138) 1)

Efferent system
DPOAE; Otoacoustic emission; Contralateral acoustic stimulation; Barn owl; Bird (Manley, G.A. (138) 1)

Endocochlear potential
Adenosine triphosphate; Adenosine diphosphate; Cochlear function; Cochlear microphonic; Endolymph; P2 receptor agonist; P2 receptor antagonist; Uridine triphosphate (Muñoz, D.J.B. (138) 56)

Endolymph
Adenosine triphosphate; Adenosine diphosphate; Cochlear function; Cochlear microphonic; Endocochlear potential; P2 receptor agonist; P2 receptor antagonist; Uridine triphosphate (Muñoz, D.J.B. (138) 56)

Endolymphatic sac; Injection; Inner ear; Volume regulation; Hydrops (Rask-Andersen, H. (138) 81)

Endolymphatic sac
Endolymph; Injection; Inner ear; Volume regulation; Hydrops (Rask-Andersen, H. (138) 81)

Excitatory junction potential
Spiral modiolar artery; Smooth muscle cells; Membrane potential; α-receptor; Cochlea (Jiang, Z.-G. (138) 171)

Eye rotation
Post-auricular muscle; Infant hearing screening (Patuzzi, R.B. (138) 133)

Gentamicin
Nucleus magnocellularis; Hair cell regeneration; Neuronal plasticity; Glucose metabolism (Park, D.L. (138) 45)

Glucose metabolism
Nucleus magnocellularis; Gentamicin; Hair cell regeneration; Neuronal plasticity (Park, D.L. (138) 45)

Growth
Turner syndrome; Otitis media; Hearing loss; Karyotype; SHOX (Barrenäs, M.-L. (138) 163)

Hair cell regeneration
Nucleus magnocellularis; Gentamicin; Neuronal plasticity; Glucose metabolism (Park, D.L. (138) 45)

Hearing loss
Turner syndrome; Otitis media; Karyotype; Growth; SHOX (Barrenäs, M.-L. (138) 163)

Hydrops
Endolymphatic sac; Endolymph; Injection; Inner ear; Volume regulation (Rask-Andersen, H. (138) 81)

Hypothyroidism
Hyt/hyt; Distortion product otoacoustic emission; Outer hair cell (Li, D. (138) 65)

Hyt/hyt
Hypothyroidism; Distortion product otoacoustic emission; Outer hair cell (Li, D. (138) 65)

Inbred mouse strain
Cochlea; Aging; Distortion product otoacoustic emission (Jimenez, A.M. (138) 91)

Infant hearing screening
Post-auricular muscle; Eye rotation (Patuzzi, R.B. (138) 133)

Auditory evoked response; Objective hearing test (Patuzzi, R.B. (138) 147)

Inferior colliculus
Interaural time difference; Consonant-vowel syllable; Single unit; Chinchilla (Chen, G.-D. (138) 29)

Injection
Endolymphatic sac; Endolymph; Inner ear; Volume regulation; Hydrops (Rask-Andersen, H. (138) 81)

Inner ear
Endolymphatic sac; Endolymph; Injection; Volume regulation; Hydrops (Rask-Andersen, H. (138) 81)

Interaural time difference
Consonant-vowel syllable; Inferior colliculus; Single unit; Chinchilla (Chen, G.-D. (138) 29)

Intermittent noise
Noise-induced hearing loss; Carbon monoxide; Compound action potential; Surface preparation; Rat (Chen, G.-D. (138) 181)

Karyotype
Turner syndrome; Otitis media; Hearing loss; Growth; SHOX (Barrenäs, M.-L. (138) 163)

Membrane potential
Spiral modiolar artery; Smooth muscle cells; Excitatory junction potential; α-receptor; Cochlea (Jiang, Z.-G. (138) 171)

D-Methionine
Cisplatin; Stria vascularis; Ototoxicity; Semi-quantitative analysis (Campbell, K.C.M. (138) 13)

Neuronal degeneration
Auditory neuron; Pharmacological therapy; Cytokine; Neurotrophin; Neurotrophic effect (Marzella, P.L. (138) 73)

Neuronal plasticity
Nucleus magnocellularis; Gentamicin; Hair cell regeneration; Glucose metabolism (Park, D.L. (138) 45)

Neurotrophic effect
Auditory neuron; Pharmacological therapy; Cytokine; Neurotrophin; Neuronal degeneration (Marzella, P.L. (138) 73)

Neurotrophin
Auditory neuron; Pharmacological therapy; Cytokine; Neuronal degeneration; Neurotrophic effect (Marzella, P.L. (138) 73)

Noise-induced hearing loss
Intermittent noise; Carbon monoxide; Compound action potential; Surface preparation; Rat (Chen, G.-D. (138) 181)

Nucleus magnocellularis
Gentamicin; Hair cell regeneration; Neuronal plasticity; Glucose metabolism (Park, D.L. (138) 45)

Objective audiogram
Auditory-evoked potential; Objective neonatal screening test; Pinna movement (O'Beirne, G.A. (138) 115)

Objective hearing test
Auditory evoked response; Infant hearing screening (Patuzzi, R.B. (138) 147)

Objective neonatal screening test
Auditory-evoked potential; Objective audiogram; Pinna movement (O'Beirne, G.A. (138) 115)

Otitis media
Turner syndrome; Hearing loss; Karyotype; Growth; SHOX (Barrenäs, M.-L. (138) 163)

Otoacoustic emission
DPOAE; Contralateral acoustic stimulation; Barn owl; Bird; Efferent system (Manley, G.A. (138) 1)

Ototoxicity
D-Methionine; Cisplatin; Stria vascularis; Semi-quantitative analysis (Campbell, K.C.M. (138) 13)

Outer hair cell
Hyt/hyt; Hypothyroidism; Distortion product otoacoustic emission (Li, D. (138) 65)

P2 receptor agonist
Adenosine triphosphate; Adenosine diphosphate; Cochlear function; Cochlear microphonic; Endocochlear potential; Endolymph; P2 receptor antagonist; Uridine triphosphate (Muñoz, D.J.B. (138) 56)

P2 receptor antagonist
Adenosine triphosphate; Adenosine diphosphate; Cochlear function; Cochlear microphonic; Endocochlear potential; Endolymph; P2 receptor agonist; Uridine triphosphate (Muñoz, D.J.B. (138) 56)

Pharmacological therapy
Auditory neuron; Cytokine; Neurotrophin; Neuronal degeneration; Neurotrophic effect (Marzella, P.L. (138) 73)

Pinna movement
Auditory-evoked potential; Objective neonatal screening test; Objective audiogram (O'Beirne, G.A. (138) 115)

Post-auricular muscle
Eye rotation; Infant hearing screening (Patuzzi, R.B. (138) 133)

Pyridoxal-phosphate-6-azophenyl-2',4'-disulfonic acid
Cochlear potential; Cochlear microphonic; Auditory nerve (LeBlanc, C. (138) 192)

Rat
Intermittent noise; Noise-induced hearing loss; Carbon monoxide; Compound action potential; Surface preparation (Chen, G.-D. (138) 181)

α-receptor
Spiral modiolar artery; Smooth muscle cells; Membrane potential; Excitatory junction potential; Cochlea (Jiang, Z.-G. (138) 171)

Semi-quantitative analysis
D-Methionine; Cisplatin; Stria vascularis; Ototoxicity (Campbell, K.C.M. (138) 13)

SHOX
Turner syndrome; Otitis media; Hearing loss; Karyotype; Growth (Barrenäs, M.-L. (138) 163)

Single unit
Interaural time difference; Consonant-vowel syllable; Inferior colliculus; Chinchilla (Chen, G.-D. (138) 29)

Smooth muscle cells
Spiral modiolar artery; Membrane potential; Excitatory junction potential; α-receptor; Cochlea (Jiang, Z.-G. (138) 171)

Spiral modiolar artery
Smooth muscle cells; Membrane potential; Excitatory junction potential; α-receptor; Cochlea (Jiang, Z.-G. (138) 171)

Stria vascularis
D-Methionine; Cisplatin; Ototoxicity; Semi-quantitative analysis (Campbell, K.C.M. (138) 13)

Surface preparation
Intermittent noise; Noise-induced hearing loss; Carbon monoxide; Compound action potential; Rat (Chen, G.-D. (138) 181)

Turner syndrome
Otitis media; Hearing loss; Karyotype; Growth; SHOX (Barrenäs, M.-L. (138) 163)

Uridine triphosphate
Adenosine triphosphate; Adenosine diphosphate; Cochlear function; Cochlear microphonic; Endocochlear potential; Endolymph; P2 receptor agonist; P2 receptor antagonist (Muñoz, D.J.B. (138) 56)

Volume regulation
Endolymphatic sac; Endolymph; Injection; Inner ear; Hydrops (Rask-Andersen, H. (138) 81)